



































































































































































PRODUCT LIST :

































DIN	ISO		DESCRIPTION
1	2339		Taper Pins, type B, turned
7	2338		Parallel Pins, tolerance zone m6
84	1207		Slotted cheese head screws
85	1580		Slotted pan head screws
93			washers with tap
94	1234		Split cotter pins
95			Slotted raised countersunk (oval) head wood screws
96			Slotted round head wood screws
97			Slotted countersunk (flat) head wood screws
125 A	7089		Washers, type A, without bevel
125 B	7090		Washers, type B, with bevel
127 A			Spring lock washers, tang ends
127 B			Spring lock washers, square ends
128 A			Spring lock washers, curved
128 B			Spring lock washers, waved
137 A			Spring washers, curved
137 B			Spring washers, waved
186			T-head bolts with square neck
315 AF			Wing nuts, American form
315 DF			Wing nuts, German form
316 AF			Wing screws, American form
316 DF			Wing screws, German form
404			Slotted capstan screws
417	7435		Slotted set screws with full dog point
427	2342		Slotted headless screws with chamfered end
431			Pipe nuts with thread DIN ISO 228 part 1
432			Washers with external tap
433	7092		Washers for cheese head screws
434			Square taper washers for U-sections, 8% incline
435			Square taper washers for I-sections, 14% incline
436			square washers for wood constructions
438	7436		Slotted set screws with cut point
439	4035		Hexagon thin nuts, chamfered
439	8675		Hexagon thin nuts, metric fine pitch thread
439			Hexagon thin nuts, chamfered, metric left hand thread

































DIN	ISO		DESCRIPTION
440	7094		Washers, especially for wood constructions
444			Eye bolts, type B
462			Internal tap washers for slotted round nuts DIN 1804
463			Washers with 2 taps
464			Knurled thumb screws, high type
465			Slotted knurled thumb screws, high type
466			Knurled thumb nuts, high type
467			knurled thumb nuts, low type
471			Retaining rings for shafts
472			Retaining rings for bores
546			Slotted round nuts
547			Round nuts with drilled holes in one face
551	4766		Slotted set screws with chamfered end
553	7434		Slotted set screws with cone point
557			Square nuts, product grade C
562			Square thin nuts, product grade B
571			Hexagon head wood screws
580			Lifting eye bolts, forged
582			Lifting eye nuts, forged
603			Mushroom head square neck bolts (Cup square neck bolts)
653			knurled thumb screws, low type
660			Round head rivets
661			Countersunk head rivets
705			Adjusting rings, with and without set screws
835			Studs, thread end = 2d
906			Hexagon socket pipe plugs, conconical thread
908			Hexagon socket screws plugs with cylindrical tread
910			Hexagon head screws plugs with cylindrical tread
912	4762		Hexagon socket head cap srews
913	4026		Hexagon socket set screws with chamfered end
914	4027		Hexagon socket set screws with cone point
915	4028		Hexagon socket set screws with dog point
































DIN	ISO		DESCRIPTION
916	4029		Hexagon socket set screws with cup point
917			Hexagon cap nuts
921			Slotted pan head screws with large head
923			Slotted pan head screws with shoulder, dog point
928			Square weld nuts
929			Hexagon weld nuts
931	4014		Hexagon head bolts
933	4017		Hexagon head screws
933 SZ			Slotted hexagon head screws
934	4032		Hexagon nuts
934	8673		Hexagon nuts with metric fine pitch
934			Hexagon nuts with left hand thread
935	7035		Hexagon slotted and castle nuts
937	7038		Hexagon thin slotted and half castle nuts
938			Studs, thread end = 1xd
939			Studs, thread end = 1,25xd
963	2009		Slotted countersunk head screws
964	2010		Slotted raised countersunk (oval) head screws
965 H	7046		Cross recessed countersunk (flat) head scr. Phill.
965 Z	7046		Cross recessed countersunk (flat) head screw Pozi.
966 H/Z	7047		Cross recess. Counters. (oval) head screws Phill./Pozi.
976 - 1			Threaded rods
976 - 1			Threaded pins, type B
980	7042		Prevailing torque type hexagon nuts full metal
982	7040		Prevailing torque hex. nuts with non-metal insert, high type
985	10511		Prevailing torque type hexagon nuts w. non-metallic ins., low type
986			Prevailing torque type hexagon domed cap nut. w. non-metallic ins.
988			Shim rings
1052			Washers for wood constructions
1440	8738		Plain washers for clevis pins
1471	8744		Grooved pins, full length taper grooved
1472	8745		Grooved pins, half length taper grooved

DIN	ISO		DESCRIPTION
1473	8740		Grooved pins, full length parallel grooved, with chamfer
1474	8141		Grooved pins, half length reverse taper grooved
1475	8142		Grooved pins, third length reverse taper grooved
1476	8746		Grooved pins, round head
1481	8752		Spring type straight pins, slotted
1587			Heavy type hexagon domed cap nuts
1804			Slotted round nut for hook spanner
2093			Disc springs
2510			Hexagon nuts for bolts with reduced shanks
3017			Hose clamp, with worm gear drive, type A
3570			U-Bolts, type A, without hexagon nuts
	UNI 5587		Hexagon nuts, high type, italian norm
6319			Spherical washers, type C / Conical washers, type D
6330			Hexagon nuts 1,5 d, type B
6331			Hexagon nuts 1,5 d with collar
6334			Long hexagon nuts
6796			Conical spring washers for bolted connections
6797			Toothed lock washers, form A and J
6798			Serrated lock washers, form A and J
6799			Retaining washers for shafts
6885			Parallel keys, type A
6900			Screw assemblies, metric thread
6901			Tapping screw assemblies
6912			Hex. socket head scr. w. centre hole, low profile
6921			Hexagon head screws w. flange
7337			Blind rivets, type A
7343	8750		Spiral pins, medium duty
7349			Springs pins, slotte, light type
7500	M + C		Washers for bolts with heavy type spring pins form M and C
7504	K+N+P		Self drilling screws, form K, N and P
7516			Thread cutting screws
7967			Self locking counter nuts

DIN	ISO		DESCRIPTION
7971	1481		Pan head tapping screws with slot, type C
7972	1482		Countersunk head tapping screws, with slot, type C
7973	1483		Raised countersunk head tapping screws with slot, type C
7976	1479		Hexagon tapping screws, type C
7980			Spring lock washers for screws with cylindrical heads
7981 H/Z	7049		Pan head tapping screws with cross recessed, type C and F
7982 H/Z	7050		Countersunk flat head tapping scr. w. cross recess, type C and F
7983 H/Z	7051		Raised countersunk head tapping scr. w. cross rec., type C and F
7984			Hex. socket head cap screws with low head
7985 H/Z	7045		Cross recessed raised pan head screws
7989			Washers f. steel constructions
7991	10642		Hexagon socket countersunk head screws
7993			Snap rings for shafts, type A
7995 H/Z			Cross recessed raised counters. head wood screws
7996 H/Z			Cross recessed round head wood screws
7997 H/Z			Cross recessed countersunk head wood screws
9021	7093		Washers w. outside diameter ≈ 3x nominal thr. diam.
11024			Spring cotter of bolt
25201			Selbsthemmende Sicherungsscheiben
WS	EN ISO		DESCRIPTION
9100			Chipboard screws with countersunk head, full thread, pozidrive
9105			Chipboard screws with countersunk head, part thread, pozidrive
9110			Panhead chipboard screws, full thread, pozidrive
9112			Panhead chipboard screws, with six lobe drive, full thread
9115			Panhead chipboard screws, with part thread, pozidrive
9117			Panhead chipboard screws, with six lobe drive, part thread
9120			Raised counters. chipboard screw full thread, pozidrive
9122			Raised counters. chipboard scr. with six lobe drive, full thread
9125			Raised counters. chipboard screw, part thread, pozidrive
9127			Raised countersunk chipboard scr. with six lobe drive, part thread
9130			Chipboard screws with counters. head, six lobe drive, full thread
9135			Chipboard screws with counters. head, six lobe drive., part thread

WS	ISO		DESCRIPTION
9145			Counters. chipb. screws w. six lobe drive, part threaded self drill, 6 ribs
9150			Teak deck screws, pozi drive
9155			Teak deck screws, six lobe drive
9160			Self threading screws for plastic materials
9165			Self drilling scr. simil. DIN 7504 K w. attached EPDM sealing washers
9166			Self drilling screws similar DIN 7504 N with six lobe drive
9167			Self drilling screws similar DIN 7504 P with six lobe drive
9170 - 9178			Wood scr. w. EPDM - washers Z + six drive, A2+ A2 copper-plated
9180 - 9198			Self tapping screws
9200			Tapping screws with head DIN 912
9209			Dowel screws without centre
9210			Dowel screws with centre
9211			Dowel screws with hexagon
9213			Dowel screws with six lobe drive
9215 - 9216			Dowel screws with hexagon and assembled nuts and washers
9218			EPDM-sealings for dowel screws
9220			Pan head tapping screws with mounted polyamid washer
9230			Slotted hexagon tapping screws with mount. poly. washer with slot
9231			Slotted hexagon tapping screws
9235			Self tapping screws with caphead similar DIN 7981
9236			Cover caps for self tapping screws
9240			Plain washers
9245 - 9248			Washers to French Norm NFE 25-514
9250			Locking washers "S"
9255			Finishing washers
9260			EPDM sealing washers
9265 - 9269			Serrated locking washers, type M/S/B/Z/K
9270			Self tapping inserts (ENSAT)
9280			Rampa insert bushings, type B
9290			Round coupler nuts
9300			Hexagon coupler nuts
9305			Shear off nuts

WS	ISO	DESCRIPTION
9310		Insert - press nuts
9312		Drive-in nuts
9314		Countersunk blind rivet nuts, low head
9315		Flat head blind rivet nuts
9316		Countersunk blind rivet nuts
9317		Flat headed blind rivet nuts, hexagonal shank
9318		Countersunk blind rivet nuts, low head, hexagonal shank
9320		Weld on nuts, type A, B and C
	7380	
		Hexagon socket button head screws
9330		Slotted mushroom head screws
9332		Screws for fence building similar ISO 7380 with hexagon socket
9335		Hexagon socket button head screws with flange
9340		Slotted sleeve nuts
9345		Hexagon flange nuts with serration, similar DIN 6923
9400 - 9420		Hammer head screws for type 50/30, 40/22, 38/17, 28/15, 20/12
9440		U - bolts
9450		Cheese head screws, combi cross slot, type H/SZ
9460		Pan head screws six lobe drive, similar DIN 7985
9465		Hexagon socket button head scr. w. six lobe drive similar ISO 7380
9470		Counters. head screws, six lobe drive, similar DIN 7991
9475		Counters. head screws, six lobe drive, similar DIN 965
9477		Pan head tapping screws with six lobe drive, sim 7981
9478		Counters. flat head tapping screws with six lobe drive, sim 7982
9479		Raised counters head tapping screws w. six lobe drive, sim 7983
9480		Security screws similar to ISO 7380, six lobe drive & pin
9482		Security screws similar to DIN 7991, six lobe drive & pin
9485		Security screws to DIN 7981, six lobe drive & pin
9486		Security screws sim. to DIN 7982, six lobe drive & pin
9488		Bits for security screws with six lobe drive and pin
9489		L-keys with six lobe drive and pin
9495		Star inserts for six lobe drive
9500		Washers (Polyamid) DIN 125, type A

WS	ISO	DESCRIPTION
9510		Washers (Polyamid) DIN 1921
9580		Lifting eye screws, casted
9582		Lifting eye nuts, casted
9800		Decking scr. w. lower countersunk head, six lobe drive, thread end SB
9810		Washer head screws, six lobe drive, thread end SB
9820		Decking screws, milling ribs, lower countersunk head, thread end SB
9850		Dowel screws for concrete, hard metal points, technical approval
9851		Concrete screws w. hexagon head, hard met. points, technical approval
9350		VA-A/Anchor VA Stud
9360		VA-P/Chemical anchor capsule
9365		Chemical anchor cartridge VM-K
9370		Wedge anchor type "B"
9372		Wedge anchor type "Z"
9380		Drop - in anchor type "E"
9390		Universal plug type "UD"
FITTINGS		DESCRIPTION
DIN 2982 A		Weld nipples
DIN 2982 R		Double nipples
DIN 2986 G		Socket full
DIN 2986 H		Socket half
WS 9601		Elbow 90° int./int. thread
WS 9603		Elbow 45° int./int. thread
WS 9607		"T", internal thread
WS 9611		Union, flat sealing, int. thread
WS 9612		Union, conical sealing, int. thread
WS 9625		Hexagon reducing bushings
WS 9626		Hexagon screws caps
WS 9630		Hexagon screws plugs
WS 9635		Reducing sockets
WS 9637		Hexagon hose nipples
WS 9640		Hexagon double nipples
WS 9641		Hex. reducing double nipples