



Fasco Gulf Building Materials

P.O.Box-16135,Dubai,UAE.

PHONE: 009714-2676612

FAX: 009714-2676604


EMAIL: FASCO@EIM.AE



Company Profile:

We have pleasure in introducing FASCO GULF Building

Materials based in Dubai, UAE. Since 1994 Fasco is a sales & service oriented and professionally managed company specialized in dealing with General hardware / Tools / Safety shoes / Safety Gloves, Specialty Fasteners in all Grades & Forms.



Which includes Aluminium / Brass / Copper / Steel / Stainless Steel / High Tensile / Plastic Fasteners in Polyester / Polypropylene / PVC.



Furthermore, we also cater to the needs of Industrial Fasteners for Oil & Gas Installation in different ASTM – BS – DIN – ISO Standards with accredited Test Reports.

Fastener Grades :

Standard Steel Grades: 4.6/6.8/8.8/10.9/12.9

Stainless Steel Grades: A2/304 / A4/316 / L - Specials.

Hex Head Bolt as per ISO-898 - 4014 - 4017

BS 3692 Gr.8 / 8.8

BS 4395 I Gr.8.8 / Gr. 10

BS 14399 3 Gr.10 / 10.9

ASTM A 307 Grade

ASTM A 325 Inch / Metric Type 1 & III

ASTM A 490 Heavy Hex Bolt

ASTM A 563 Heavy Hex Nut

ASTM A 193 Grade B7 Stud

ASTM A 194 Grade 2H Heavy Hex Nut

ASTM F 436 Washers

Shear Welding Studs / Arc Welding Studs




In different material coatings, Galvanised / Zinc / Hot Dipped Galvanized / Sheradized / PTFE & Specials.





Complete range of Plastic Fasteners, in PVC - Polymers etc.

Blind Rivets & Self Tapping / Self Drilling Screws.


















PRODUCT LIST :

DIN	ISO	DESCRIPTION	DIN	ISO	DESCRIPTION
1	2339				Taper Pins, type B, turned
7	2338				Parallel Pins, tolerance zone m6
84	1207				Slotted cheese head screws
85	1580				Slotted pan head screws
93					washers with tap
94	1234				Split cotter pins
95					Slotted raised countersunk (oval) head wood screws
96					Slotted round head wood screws
97					Slotted countersunk (flat) head wood screws
125 A	7089				Washers, type A, without bevel
125 B	7090				Washers, type B, with bevel
127 A					Spring lock washers, tang ends
127 B					Spring lock washers, square ends
128 A					Spring lock washers, curved
128 B					Spring lock washers, waved
137 A					Spring washers, curved
137 B					Spring washers, waved
186					T-head bolts with square neck
315 AF					Wing nuts, American form
315 DF					Wing nuts, German form
316 AF					Wing screws, American form
316 DF					Wing screws, German form
404					Slotted capstan screws
417	7435				Slotted set screws with full dog point
427	2342				Slotted headless screws with chamfered end
431					Pipe nuts with thread DIN ISO 228 part 1
432					Washers with external tap
433	7092				Washers for cheese head screws
434					Square taper washers for U-sections, 8% incline
435					Square taper washers for I-sections, 14% incline
436					square washers for wood constructions
438	7436				Slotted set screws with cut point
439	4035				Hexagon thin nuts, chamfered
439	8675				Hexagon thin nuts, metric fine pitch thread
439					Hexagon thin nuts, chamfered, metric left hand thread
			440	7094	
			444		
			462		
			463		
			464		
			465		
			466		
			467		
			471		
			472		
			546		
			547		
			551	4766	
			553	7434	
			557		
			562		
			571		
			580		
			582		
			603		
			653		
			660		
			661		
			705		
			835		
			906		
			908		
			910		
			912	4762	
			913	4026	
			914	4027	
			915	4028	

DIN	ISO	DESCRIPTION
916	4029	 Hexagon socket set screws with cup point
917		 Hexagon cap nuts
921		 Slotted pan head screws with large head
923		 Slotted pan head screws with shoulder, dog point
928		 Square weld nuts
929		 Hexagon weld nuts
931	4014	 Hexagon head bolts
933	4017	 Hexagon head screws
933 SZ		 Slotted hexagon head screws
934	4032	 Hexagon nuts
934	8673	 Hexagon nuts with metric fine pitch
934		 Hexagon nuts with left hand thread
935	7035	 Hexagon slotted and castle nuts
937	7038	 Hexagon thin slotted and half castle nuts
938		 Studs, thread end = 1xd
939		 Studs, thread end = 1,25xd
963	2009	 Slotted countersunk head screws
964	2010	 Slotted raised countersunk (oval) head screws
965 H	7046	 Cross recessed countersunk (flat) head scr. Phill.
965 Z	7046	 Cross recessed countersunk (flat) head screw Pozi.
966 H/Z	7047	 Cross recess. Counters. (oval) head screws Phill./Pozi.
976 - 1		 Threaded rods
976 - 1		 Threaded pins, type B
980	7042	 Prevailing torque type hexagon nuts full metal
982	7040	 Prevailing torque hex. nuts with non-metal insert, high type
985	10511	 Prevailing torque type hexagon nuts w. non-metallic ins., low type
986		 Prevailing torque type hexagon domed cap nut. w. non-metallic ins.
988		 Shim rings
1052		 Washers for wood constructions
1440	8738	 Plain washers for clevis pins
1471	8744	 Grooved pins, full length taper grooved
1472	8745	 Grooved pins, half length taper grooved


DIN	ISO	DESCRIPTION
1473	8740	 Grooved pins, full length parallel grooved, with chamfer
1474	8141	 Grooved pins, half length reverse taper grooved
1475	8142	 Grooved pins, third length reverse taper grooved
1476	8746	 Grooved pins, round head
1481	8752	 Spring type straight pins, slotted
1587		 Heavy type hexagon domed cap nuts
1804		 Slotted round nut for hook spanner
2093		 Disc springs
2510		 Hexagon nuts for bolts with reduced shanks
3017		 Hose clamp, with worm gear drive, type A
3570		 U-Bolts, type A, without hexagon nuts
UNI 5587		 Hexagon nuts, high type, italian norm
6319		 Spherical washers, type C / Conical washers, type D
6330		 Hexagon nuts 1,5 d, type B
6331		 Hexagon nuts 1,5 d with collar
6334		 Long hexagon nuts
6796		 Conical spring washers for bolted connections
6797		 Toothed lock washers, form A and J
6798		 Serrated lock washers, form A and J
6799		 Retaining washers for shafts
6885		 Parallel keys, type A
6900		 Screw assemblies, metric thread
6901		 Tapping screw assemblies
6912		 Hex. socket head scr. w. centre hole, low profile
6921		 Hexagon head screws w. flange
7337		 Blind rivets, type A
7343	8750	 Spiral pins, medium duty
7349		 Springs pins, slotte, light type
7500	M + C	 Washers for bolts with heavy type spring pins form M and C
7504	K+N+P	 Self drilling screws, form K, N and P
7516		 Thread cutting screws
7967		 Self locking counter nuts

DIN	ISO	DESCRIPTION	WS	ISO	DESCRIPTION	
7971	1481		Pan head tapping screws with slot, type C	9145		Countersunk head tapping screws, with slot, type C
7972	1482		Raised Countersunk head tapping screws with slot, type C	9150		Hexagon tapping screws, type C
7973	1483		Spring lock washers for screws with cylindrical heads	9155		Pan head tapping screws with cross recessed, type C and F
7976	1479		Countersunk flat head tapping scr. w. cross recess, type C and F	9160		Raised Countersunk head tapping scr. w. cross rec., type C and F
7980			Hex. socket head cap screws with low head	9165		Cross recessed raised pan head screws
7981 H/Z	7049		Washers f. steel constructions	9166		Hexagon socket countersunk head screws
7982 H/Z	7050		Snap rings for shafts, type A	9167		Cross recessed raised counters. head wood screws
7983 H/Z	7051		Cross recessed round head wood screws	9170 - 9178		Cross recessed countersunk head wood screws
7984			Washers w. outside diameter ~ 3x nominal thr. diam.	9180 - 9198		Spring cotter of bolt
11024			Selbsthemmende Sicherungsscheiben	9200		Washers w. outside diameter ~ 3x nominal thr. diam.
25201				9209		Slotted hexagon tapping screws with mount. poly. washer with slot
WS	EN ISO	DESCRIPTION		9210		Slotted hexagon tapping screws with caphead similar DIN 7981
9100			Cover caps for self tapping screws	9211		Plain washers
9105			Washers to French Norm NFE 25-514	9213		Locking washers "S"
9110			Finishing washers	9215 - 9216		EPDM sealing washers
9112			Serrated locking washers, type M/S/B/Z/K	9218		Self tapping inserts (ENSAT)
9115			Rampa insert bushings, type B	9220		Round coupler nuts
9117			Round hexagon coupler nuts	9230		Shear off nuts
9120				9231		
9122				9235		
9125				9236		
9127				9240		
9130				9245 - 9248		
9135				9250		
				9255		
				9260		
				9265 - 9269		
				9270		
				9280		
				9290		
				9300		
				9305		

WS	ISO	DESCRIPTION
9310		Insert - press nuts
9312		Drive-in nuts
9314		Countersunk blind rivet nuts, low head
9315		Flat head blind rivet nuts
9316		Countersunk blind rivet nuts
9317		Flat headed blind rivet nuts, hexagonal shank
9318		Countersunk blind rivet nuts, low head, hexagonal shank
9320		Weld on nuts, type A, B and C
7380	 	Hexagon socket button head screws
9330		Slotted mushroom head screws
9332	 	Screws for fence building similar ISO 7380 with hexagon socket
9335	 	Hexagon socket button head screws with flange
9340	 	Slotted sleeve nuts
9345	  	Hexagon flange nuts with serration, similar DIN 6923
9400 - 9420	    	Hammer head screws for type 50/30, 40/22, 38/17, 28/15, 20/12
9440		U - bolts
9450	 	Cheese head screws, combi cross slot, type H/SZ
9460	 	Pan head screws six lobe drive, similar DIN 7985
9465	 	Hexagon socket button head scr. w. six lobe drive similar ISO 7380
9470	 	Counters. head screws, six lobe drive, similar DIN 7991
9475	 	Counters. head screws, six lobe drive, similar DIN 965
9477	 	Pan head tapping screws with six lobe drive, sim 7981
9478	 	Counters. flat head tapping screws with six lobe drive, sim 7982
9479	 	Raised counters head tapping screws w. six lobe drive, sim 7983
9480	 	Security screws similar to ISO 7380, six lobe drive & pin
9482	 	Security screws similar to DIN 7991, six lobe drive & pin
9485	 	Security screws to DIN 7981, six lobe drive & pin
9486	 	Security screws sim. to DIN 7982, six lobe drive & pin
9488	 	Bits for security screws with six lobe drive and pin
9489	 	L-keys with six lobe drive and pin
9495	 	Star inserts for six lobe drive
9500		Washers (Polyamid) DIN 125, type A

WS	ISO	DESCRIPTION
9510		Washers (Polyamid) DIN 1921
9580	 	Lifting eye screws, casted
9582	 	Lifting eye nuts, casted
9800	 	Decking scr. w. lower countersunk head, six lobe drive, thread end SB
9810	 	Washer head screws, six lobe drive, thread end SB
9820	 	Decking screws, milling ribs, lower countersunk head, thread end SB
9850	 	Dowel screws for concrete, hard metal points, technical approval
9851	 	Concrete screws w. hexagon head, hard met. points, technical approval
9350	 	VA-A/Anchor VA Stud
9360	 	VA-P/Chemical anchor capsule
9365	 	Chemical anchor cartridge VM-K
9370	 	Wedge anchor type "B"
9372	 	Wedge anchor type "Z"
9380	 	Drop - in anchor type "E"
9390	 	Universal plug type "UD"
FITTINGS	DESCRIPTION	
DIN 2982 A		Weld nipples
DIN 2982 R		Double nipples
DIN 2986 G		Socket full
DIN 2986 H		Socket half
WS 9601		Elbow 90° int./int. thread
WS 9603		Elbow 45° int./int. thread
WS 9607		"T", internal thread
WS 9611		Union, flat sealing, int. thread
WS 9612		Union, conical sealing, int. thread
WS 9625		Hexagon reducing bushings
WS 9626		Hexagon screws caps
WS 9630		Hexagon screws plugs
WS 9635		Reducing sockets
WS 9637		Hexagon hose nipples
WS 9640		Hexagon double nipples
WS 9641		Hex. reducing double nipples

LOCATION DIRECTION :



Location Direction : DAMASCUS ROAD DUBAI,Towards Sharjah Caterpillar RA.
Take 1st Turn Before Eppco Petrol Pump . (15th Street)
Take 1st Left Then Again 1st Left.
Come Forward 100 Metters Ahead.
1st Warehouse On Your Right Side (Yellow Colour)
(Opposite Emex Cargo)